



# Kitemark™ Certificate

This is to certify that: Kaliber Marketing (Holdings) Limited

T/A Spitfire Doors

Unit 1

Queens Avenue Macclesfield SK10 2BN **United Kingdom** 

Holds Certificate Number: KM 651911

In respect of:

BS 8529 / PAS24 **Enhanced Security Composite Door Fabricator** 

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Gary Fenton, Global Product Certification Director

First Issued: 2017-07-28 Latest Issue: 2017-07-28

...making excellence a habit.™

Page: 1 of 2



## Kitemark™ Certificate

No. KM 651911

# BS 8529:2010 / PAS 24:2016 - General and enhanced security performance requirements for Composite door assemblies.

This certificate covers the fabrication of doors from the range of profiles and components as detailed below

## **Composite Residential Door System**

Fabricated and installed in accordance with the latest issue of the following Schüco International KG controlled manual(s):

### **System description:**

The door assemblies are open in, Aluminium Faced Composite slab, hinged on outer frame, Inotherm d.o.o. cassette glazed with BS EN 1279-2 compliant triple glazed IGU(s), laminated on the one pane to class P1A, with Schüco low threshold. Fitted with Schüco hinges, Siegenia LFU lock, Winkhaus 3\* cylinder, Riechmann Handle. Doors are classified D

### **Size Limitations and Performance Characteristics**

Door Type	Length (mm) Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Overall dimensions for doors with approved outer frame and sash profiles:						
Single leaf	900	2100	4	4A	4C	1200

First Issued: 2017-07-28 Latest Issue: 2017-07-28

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.